

Soustruhy > CNC > KIT 60G

Inv. číslo:	104279
Typ:	KIT 60G
Parametry:	780 mm, 530 mm
Výrobce:	Hyundai
Rok výroby/SO/GO:	2006/-/-
Lokalita:	Česká republika
Popis:	CNC obráběcí soustruh vhodný pro jednodušší operace obrábění povrchu a otvoru, středové vrtání a závitování. Efektivní obrábění malých i větších sérií výrobků. Rychlé seřízení stroje. Řídicí systém: FANUC Součástí soustruhu je: - dopravník na třísky - přídavná mechanická ruka na odebírání hotových kusů - vozík na kovový odpad Technické parametry: Oběžný průměr: 780 (mm) Max. obráběná délka: 530 (mm) Max. průměr tyčoviny: 65 (mm) Max. otáčky vřetene: 4000 (ot/min) Výkon vřetene: 11/7,5 (kW) Rozjezdy X/Z: 450/550 (mm) Rychloposuvy X/Z: 36/36 m/min Výrobce: Hyundai-Kia Machine bez podavače, nemá poháněné nástroje. CNC machining lathe suitable for simple operation of surface and hole machining, center drilling and Threading. Effective machining of small and larger series of products. Quick machine setup. Control system: FANUC The lathe includes: - chipper conveyor - An additional mechanical hand for removing the finished pieces - metal scrap truck Technical parameters: Circulation diameter: 780 (mm) Max. machined length: 530 (mm) Max. rod diameter: 65 (mm) Max. spindle speed: 4000 (rpm) Spindle power: 11 / 7.5 (kW) Run X / Z: 450/550 (mm) Rapid traverse X / Z: 36/36 m / min Manufacturer: Hyundai-Kia Machine without the feeder, no powered tools.



