

Karusely > jednostranné > SK 12

Inv. číslo:	105567
Typ:	SK 12
Parametry:	1350 mm, 1000 mm
Výrobce:	TOS
Rok výroby/SO/GO:	1964/-/-
Lokalita:	Slovensko
Popis:	The biggest turning diameter - Side carriage 1250 mm - Left crossbar carriage 1350 mm The greatest height distance from the mounting plate - The knife holder left crossbar carriage 1000 mm - The knife bracket side slide 850 mm Vertical movement of the ram crossbar slide - Left 710 mm - Right 550 mm The horizontal movement of the ram side slide 500 mm Clamping plate diameter 1180 mm Maximum weight of workpiece 4000 kg Maximum torque on the clamping plate (18 rpm) Speed clamping plates continuously kpcm 170000 (16700 Nm) changeable Series I. 5,3-21 / min II . series 11,5-465 / min III . series 25,5-102 / IV . series 55,5-225 / min Feeds - 24 degrees - Range 0,06-9 mm / rev - Rapid traverse 1380 mm / min threads 23 metric pitch 1-28 mm 24 Whitworth thread / I " 20-2 Electric motor to drive the clamping plates 12-37 kW Total input of 45 kW Dimensions (width x depth) 3860x2360 mm Height 4260 mm above the floor Machine weight (three slides) 18300 kg.









