Soustruhy > CNC > QTN 100

Inv. číslo:	105646
Typ:	QTN 100
Parametry:	550 mm, 309 mm
Výrobce:	Mazak
Rok výroby/SO/GO:	2003/-/-
Lokalita:	Slovensko
Popis:	Stroj je v dobrém technickém stavu. Max. oběžný průměr 550 mm Max. točný průměr 280 mm Max. točná délka 309 mm Max. průchod tyče vřetenem 52mm Max. otáčky vřetene min-1 6.000 Max. výkon stroje kW 11 Kleštinové upínání Počet motohodin: 49993, měsíčně cca 280h Počet pozic na revolverové hlavě: 12 Délka součástky na soustružení: 350mm Koník kužel MK4 Automatický odebírač kusů - lopatka Interface pro podavač Podavač LNS Hydrobar: 3metry Nástrojové oko - sonda Vynašeč třísek ŘS Mazatrol 540 Po dohodě možnost prohlídky v chodu. The machine is in good technical condition. Max. circle diameter 550 mm Max. a diameter of 280 mm Max. torque 309 mm Max. the shaft passes through a 52 mm spindle Max. spindle speed min-1 6.000 Max. machine power kW 11 Collet clamping Hours of operation: 49993, monthly approx Number of positions on the turret head: 12 Length of turning component: 350mm Horseshoe cone MK4 Automatic piece picker - blade Interface for the feeder LNS Hydrobar Feeder: 3 Meters Tool eye - probe Chip cleaner ŘS Mazatrol 540 Upon agreement, the tour is open.




QUICK TURN NEXUS 100