

Soustruhy > hrotové > SU 63A/2000

Inv. číslo:	105669
Typ:	SU 63A/2000
Parametry:	630 mm, 2000 mm
Výrobce:	Tos Čelákovice
Rok výroby/SO/GO:	1959/-/-
Lokalita:	Česká republika
Popis:	Stroj je v dobrém technickém stavu. Plně funkční, ale odpojený. Po dohodě možnost prohlídky. Stroj je prodáván bez příslušenství. oběžný průměr nad ložem 630 mm oběžný průměr nad suportem 360 mm vzdálenost hrotů 2000 mm vrtání vřetena 60 mm šířka lože 567 mm průměr upínací desky 650 mm průměr unášecí desky 300 mm průměr univerzál. sklíčidla 320 mm otáčky vřetena: počet stupňů 5×24 rozsah otáček – 5 řad 8-375 ot/min 10.6-500 ot/min 14-670 ot/min 19-900 ot/min 25-1180 ot/min posuvy: počet stupňů 41 podélné v rozsahu 0.064-6.00 mm/ot příčné v rozsahu součinu hodnot podélných posuvů a koeficientu 0.386 závitů: 48 metrických, stoupání 0.219-48 mm 42 Whitworthových záv/1" 48-7/8 48 modulových modul 0.054-12 36 Diametral Pitch DP 384-1 3/4 36 Circular Pitch 7/256-1 1/2 elektromotor pro pohon stroje: otáčky 1420/710 ot/min výkon 17/10 kW půdorysná plocha stroje: šířka 1710 mm délka 4560 mm váha stroje s norm. přísluř. 5600 kg. The machine is in good technical condition. Fully functional but disconnected. Possibility of tour after agreement. The machine is sold without accessories. swing over bed 630 mm swing over slide 360 mm spacing 2000 mm spindle bore 60 mm bed width 567 mm clamping plate diameter 650 mm driving plate diameter 300 mm average universal. chucks 320 mm spindle speed: degrees 5 × 24 speed range - 5 rows 8-375 rpm 10.6-500 rpm 14-670 rpm 19-900 rpm 25-1180 rpm feeds: number of degrees 41 longitudinal in the range of 0.064-6.00 mm / rev transverse in the range of the product of the longitudinal displacements and the coefficient 0.386 threads: 48 metric, pitch 0.219-48 mm 42 Whitworts / 1 " 48-7 / 8 48 module modules 0.054-12 36 Diametral Pitch DP 384-1 3/4 36 Circular Pitch 7 / 256-1 1/2 electric motor to drive the machine: speed 1420/710 rpm power 17/10 kW machine floor area: width 1710 mm length 4560 mm machine weight with norm. a. 5600 kg.









