

Soustruhy > hrotové > S 2500 x 12000

Inv. číslo:	104489
Typ:	S 2500 x 12000
Parametry:	2500 mm, 12000 mm
Výrobce:	Škoda
Rok výroby/SO/GO:	1967/-/-
Lokalita:	EU
Popis:	Max.průměr soustružení - 2500 mm; Vzdálenost mezi hroty - 12000 mm; Soustruh byl rozebrán v létě 2013, v důsledku změny účelu dílny, kde byl nainstalován. Před demontáží byl ve velmi dobrém stavu. Height above bed - 1250 mm; Max turning diameter over carriage - 2000 mm; Bed width 3000 mm Spindle Bore 160 mm Quill Diameter 320 mm Max weight of the workpiece between centers (without steady rests) - 80 tons; Max weight of the workpiece between centers (without steady rests) processing to 18 rpm - 120 tons; Flying in chuck Dia of 4-jaws chuck 2500 mm Out Clamping Dia ~ 1800 mm Min Clamping Dia ~ 200 mm Speeds- 4 ranges Rapid Feed carriage – 3000 mm/min Rapid feed Tailstock – 2300 mm/min / 1000 mm/min Power: Main motor - 118kW; Other electric motors - a total of 5 motor with capacities of: 2 pcs x 2,2 kW, 1pc x 3kW, 1pc x 1.5 kW, 1pc x 0,37 kW. Length of Machine 19350 mm Width of Machine 4870 mm Height of Machine ~2500 mm Weight of the machine - 146.5 tons; Total weight (machine + equipment) - 158 tons; Equipment and special accessories - complete for the model;









