

Brusky > hrotové > BUB 50/2000

Inv. číslo:	108838
Typ:	BUB 50/2000
Parametry:	500 mm, 2000 mm
Výrobce:	TOS
Rok výroby/SO/GO:	2002/-/-
Lokalita:	Česká republika
Popis:	Swing Over Table, Maximum 500mm Grinding Diameter, Maximum 500mm Distance Between Centers, Nominal 2000mm Weight Capacity Between Centers 350kg Grinding Wheel Diameter, Standard 500mm Grinding Wheel Width, Standard 76mm Grinding Wheel Width, Maximum 127mm Grinding Wheel Hole Diameter 203mm Table Longitudinal Travel, Maximum 2200mm Table Longitudinal Speed, Infinitely Variable .0019 to .196 U/min Table Rapid Traverse Table Swivel Range -2/+ 4-DEGREES Headstock Swivel Range 90-DEGREES Grinding Wheelhead Swivel Range -15/+ 45-DEGREES Grinding Wheelhead Speeds 1720 & 1980 RPM Workhead Spindle Speeds, Infinite Range 18 to 560 RPM Workhead & Tailstock Spindle Taper 5 MK Grinding Wheelhead Spindle Motor 10 KW Floor Space Required, Length 6280 mm Width 2840 mm Height 1900 mm Weight, Approximately 6500kg









